



HYLAS
SAILING YACHTS

HYLAS H48 BUILD SHEET

Exhibit B: General Options

Item

HULL

Hull Construction

Three coats of Micron Extra 2 bottom paint

Black

Dover White

Blue

Red

Navy

Dark Gray

Cove Stripe

Flag Blue

Whisper Gray

Snow White

Custom Color (specify in notes)

Boot Stripe

Flag Blue

Whisper Gray

Snow White

Custom Color (specify in notes)

Rub rail with 316 stainless steel striker

Solid teak

Solid fiberglass

Hull Color

White isophthalic gelcoat

Custom painted hull with either Alexseal or Awlcraft 2000

Single sideband (SSB) grounding plane incorporated into the hull

Keel

Configuration

Deep draft 6' 6"

Shoal draft 5' 10"

DECK

Deck Construction

Fiberglass non-skid deck

Gray

Linen Beige

White

Electronics deck mast constructed of 316 stainless steel

Aft deck starboard quarter

Aft deck port quarter

Deck mast light

Bonded teak deck

Cockpit sole and seating surfaces

Foredeck, side deck, aft deck

Teak deck caulking

Black caulking for teak deck

Gray caulking for teak deck

Hylas Signature 316 stainless steel pushpit extended to midship gates

Hylas Signature stern quarter seats with 316 stainless steel frame and varnished teak slats

Stainless steel opening transom gate (Replaces wire gate)

Winslow 6 man Super-Light Offshore Plus life raft 60SLOP-BO-1-515 and stainless steel cradle

Stainless steel life raft cradle integrated into the pushpit

Simpson Series 10 S225 davits with Dyneema lifting lines

Simpson Series 10 S300 davits with Dyneema lifting lines

Aluminum alloy toe rail (removes teak toe rail)

Additional tether / jackline pad eye installed

Center Cockpit

Cockpit cubby doors (each)

Soft dodger constructed of Sunbrella fabric with Strataglass panels, a 1-1/4" 316 stainless steel tube frame with Teflon threads, and a stainless steel handrail along the aft edge.

Soft bimini top constructed of Sunbrella fabric with Strataglass panels, a 1-1/4" 316 stainless steel tube frame with Teflon threads, and a stainless steel handrail along the aft edge.

Four LED Hella lights installed on the bimini - Red/White

Cockpit enclosure with Sunbrella fabric and Strataglass panels

Cockpit opening portlight 7" x 14" - portside of the cockpit adjacent to the galley

Hatches & Deck Lockers

Teak hatch trim with screens (each)

Winches

Antal 52 XT chromed 2-speed self-tailing electric mainsheet winch

Antal 52 XT chromed 2-speed self-tailing electric cockpit winch

Antal 62 XT chromed 2-speed self-tailing electric winch (each)

Antal 52 XT chromed 2-speed self-tailing electric winch (each)

Antal 48 XT chromed 2-speed self-tailing electric winch (each)

Ground Tackle & Mooring

Maxwell AA560 windlass controller and chain counter at the helm

Install an additional pair of 12" stainless steel cleats

Nomen 250 10" aluminum deck cleats

Pair of bow cleats (remove standard cleats)

Pair of mid-ship cleats (remove standard cleats)

Pair of stern cleats (remove standard cleats)

Nomen 300 12" aluminum deck cleats

Pair of bow cleats (remove standard cleats)

Pair of mid-ship cleats (remove standard cleats)

Pair of stern cleats (remove standard cleats)

MAST & RIGGING

Spars

Mast and boom options

ICW (63' mast height) Selden two-spreader mast with electric in-mast furling

Selden carbon fiber two-spreader mast and boom with electric in-mast furling

Selden two-spreader mast with electric LeisureFurl in-boom furling

Selden two-spreader mast with electric Schaefer Gamma in-boom furling

Storm trysail track installed on the mast

Mast and boom painted with Awlgrip

Folding mast steps (each)

Selden aluminum downwind pole

Selden carbon fiber downwind pole

Standing Rigging

Standing rigging upgrade

Navtec R505 Nitronic 50 solid rod standing rigging

Dyform compact strand standing rigging

Running Rigging & Deck Hardware

Spinnaker track, stow, and basic line system

Sails by North Sails

North Sails 3Di Endurance main sail

North Sails 3Di Endurance self-tacking staysail

North Sails 3Di Endurance genoa

North Sails G1 AP NorLon NO 150 spinnaker with sock

SYSTEMS & INSTALLATION

Propeller & Running Gear

Line cutter

Propeller options

Standard fixed propeller (removes folding or feathering propeller)

Bruntons Varifold 4-Blade 20" 15 pitch folding propeller

4-Blade PYI MaxProp 20" 15 pitch feathering propeller

Generator

Generator Package: Northern Lights 6kW generator, generator control panel at the navigation station, and dedicated generator starting battery

Mechanical Room

Vimar 110 volt AC GFI outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Freshwater System

Spectra water maker

Spectra Newport 1000c 24 volt with control panel at the navigation station 41 GPH

Spectra Newport 700c 24 volt with control panel at the navigation station 29 GPH

Spectra Newport 400c 24 volt with control panel at the navigation station 29 GPH

Z-Ion membrane filter system for Spectra water maker

Pre-plumbing and wiring for future water maker installation under the forward VIP cabin berth

Bow & Stern Thruster

Bow thruster package I : includes a Side-Power SE100/185T-24V, bow thruster controls, GRP tunnel, and associated components

Bow thruster package II : includes a variable speed Side-Power SEP100/185T-24V, variable speed bow thruster controls and hold function, GRP tunnel, and associated components

Environmental System

CruiseAir reverse cycle air conditioning system with digital controls and Smart Start (16,000 BTU salon & 8,000 BTU unit forward, and 8,000 BTU unit aft)

Bilge System

Bilge pump cycle counter installed at the navigation station

SoniHull ultrasonic antifouling system

Arid Bilge system 3 zone series 2

Exterior Plumbing

Freshwater washdown at the bow, includes additional pump and plumbing.

Hot and cold freshwater shower in the cockpit cubbie with a hinged door

ELECTRICAL EQUIPMENT

General Configuration

Glendenning Cable Master 50A shore power cord electric spool with a 50' shore power cord Installed in the aft lazarette

50A shore power inlet installed in the sail locker

Charles 12 kva isolation transformer 93-IXFMR121-A (removes DEI Galvanic isolator)

Leviton T5632-T 15-amp USB outlet

Additional Marinco 12 volt DC outlet

Additional Marinco 110 volt AC outlet

Additional interior Vimar 110 volt AC GFI protected outlet

Additional exterior Vimar 110 volt AC GFI protected outlet with weatherproof receptacle cover

Battery Banks & Charging System

Mastervolt Pure Sine Wave inverter with remote display installed at the navigation station

Victron MultiPlus inverter/charger 24/3000-70 24 volt 3000 watt 70 amp combination battery charger and inverter dedicated to the house battery bank. (removes Mastervolt 24 volt inverter/charger)

Xantrex SW3012 with Xantrex Battery monitor

House battery bank upgraded to six AGM Mastervolt 8D batteries (675 amp hours)

Lithium LiPo battery bank package

ELECTRONICS & COMMUNICATION

Navigation Electronics

Additional Raymarine Axiom 12" Pro-S with HybridTouch multi-function display with integrated high CHIRP conical sonar installed on the portside of the cockpit adjacent to the companionway in a white DeckPod

Additional Raymarine Axiom 12" Pro-S with HybridTouch multi-function display with integrated high CHIRP conical sonar installed at the navigation station

Remove Raymarine Axiom 12" Pro-S with HybridTouch multi-function display with integrated high CHIRP conical sonar at the helm

Additional Raymarine i70 multifunction display (location to be specified)

Additional Raymarine p70 autopilot control head at the navigation station

Independent consultation with client to develop the parts list and drawings needed for the factory to complete the installation of the electronics.

Installation of mast and pole electronics, software updates, sea trial and training (commissioning) the boat in Riviera Beach.

Freight to send electronics equipment to QL for installation.

Queen Long Installation fee.

Communication Equipment

KVH satellite phone for voice and data

Insulated backstay for single sideband radio (SSB)

Sirius satellite weather receiver

Helm Instrumentation & Controls

Furling in/out buttons upgraded to Selden Electronic control pack switches on the pedestal (each)

Entertainment Equipment

HDMI Cable installed from the Fusion stereo at the navigation station to the television in the master stateroom

HDMI Cable installed from the Fusion stereo at the navigation station to the television in the main salon

110 volt AC outlet installed for television in the main salon

110 volt AC outlet installed for television in the master stateroom

Digital Off Air TV antenna

INTERIOR

General Arrangement

Two cabin, two head layout

Master Stateroom

TV mounted in a cabinet on the forward bulkhead (owner to supply TV)

Safe-Indel Webasto Safe 10 #7F10000A00000

Safe-Indel Webasto Safe 30 #7F30000A00000

Lee cloth and pad-eyes installed

Additional Vimar 110 volt AC dual plug outlet

Additional Marinco 12 volt DC outlet

12 volt USB outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Master Head

Upgraded toilet

Jabsco freshwater electric flush toilet

Jabsco saltwater electric flush toilet

VacuFlush freshwater flush toilet

VacuFlush saltwater flush toilet

Splendide 2100 XC combination washer and dryer with vent (removes outboard linen closet)

Floor to match the cabin sole

Soap dispenser

Extra towel bar

Teak toilet base

Cup holder

Additional Vimar 110 volt AC GFI outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Galley

U-Line stainless steel ice maker installed inside the forward most cabinet above the counter

Seagull X-2KF water filtration system

Additional Vimar 110 volt AC GFI outlet

Additional Marinco 12 volt DC outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Main Salon

Bamboo and ebony compass rose with bamboo inlay around the table edge

Burled wood with ebony inlay around the table edge

Custom table inlay

Additional bench seat with a solid teak base with cushions, upholstered backrest with stainless steel frame, and an expanding center seat insert. The seat is installed on sliding rails which are recessed into the cabin sole, enabling the seat to be stowed when not in use.

Teak facade installed along the interior window surrounds (replaces White headliner material along window surrounds)

Two removeable upholstered armrest blocks for the settee

TV electric lift installed outboard of the settee (specify port or starboard, owner to supply TV)

TV recessed in the forward bulkhead (specify port or starboard, owner to supply TV)

Additional Vimar 110 volt AC dual plug outlet

Additional Marinco 12 volt DC outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Navigation Station

Red/White LED Chart light (replaces Califfa wall light)

Additional Vimar 110 volt AC dual plug outlet

Additional Marinco 12 volt DC outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Forward VIP Cabin

Lee cloth and pad-eyes installed

Additional Vimar 110 volt AC dual plug outlet

Additional Marinco 12 volt DC outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Forward Guest Cabin

Lee cloth and pad-eyes installed (per berth)

Additional Vimar 110 volt AC dual plug outlet

Additional Marinco 12 volt DC outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White

Forward Head

Upgraded toilet

Jabsco freshwater electric flush toilet

Jabsco saltwater electric flush toilet

VacuFlush freshwater flush toilet

VacuFlush saltwater flush toilet

Floor to match the cabin sole

Soap dispenser

Teak hatch screen

Extra towel bar

Teak toilet base

Cup holder

Additional Vimar 110 volt AC GFI outlet

Caframo Bora 24 Volt fan Black

Caframo Bora 24 Volt fan White
